

Appl. No. 10/605,200
Response dated 09/13/2005
Reply to Office action of 04/13/2005

RECEIVED
CENTRAL FAX CENTER

SEP 13 2005

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of the Claims

1. (original): A well logging tool, comprising:
 - a housing;
 - at least one piston moveably disposed on the housing;
 - at least one sensor disposed on the at least one piston;
 - a pressure compensation system operatively coupled to the at least one piston such that a pressure at a back side of the at least one piston is substantially identical to a pressure outside the well logging tool; and
 - a piston deployment mechanism for deploying the at least one piston.
2. (original): The well logging tool of claim 1, wherein the piston deployment mechanism comprises a piston spring disposed at the back side of the at least one piston.
3. (original): The well logging tool of claim 1, wherein the pressure compensation system comprises a pressure-compensating chamber having an opening to an exterior of the housing, a fluid-filled reservoir, and a compensating piston moveably disposed between the pressure-compensating chamber and the fluid-filled reservoir such that a pressure inside the pressure-compensating chamber and a pressure inside the fluid-filled reservoir are substantially identical.

Appl. No. 10/605,200
Response dated 09/13/2005
Reply to Office action of 04/13/2005

4. (original): The well logging tool of claim 3, further comprising a compensating spring connected to the compensating piston for exerting a force on the compensating piston.
5. (original): The well logging tool of claim 4, wherein the piston deployment mechanism comprises a piston spring disposed at the back side of the at least one piston.
6. (original): The well logging tool of claim 1, further comprising at least one piston liner moveably disposed between the housing and the at least one piston for extending a reach of the at least one piston.
7. (original): The well logging tool of claim 4, further comprising a controller connected to the compensating spring for regulating the force exerted by the compensating spring.
8. (original): The well logging tool of claim 7, wherein the controller is operated by a motor.
9. (original): The well logging tool of claim 7, wherein the controller is operated by hydraulic pressure of drilling fluids.
10. (original): A well logging tool, comprising:
a housing;
at least one piston moveably disposed on the housing;

Appl. No. 10/605,200

Response dated 09/13/2005

Reply to Office action of 04/13/2005

at least one sensor disposed on the at least one piston;

means for keeping a pressure at a back side of the at least one piston substantially

identical to a pressure outside the well logging tool; and

means for deploying the at least one piston.

11. (currently amended): A method for well logging [[using a well logging tool having at least one piston disposed on a tool housing and a pressure compensating system that maintains a pressure at a back side of the at least one piston to be substantially identical to a pressure outside the well logging tool, wherein the at least one piston includes at least one sensor]], the method comprising:

disposing [[the]] a well logging tool in a borehole, the well logging tool having at least

one piston carrying a sensor;

maintaining a pressure at a backside of the at least one piston substantially equal to a

pressure outside of the well logging tool;

deploying the at least one piston to establish contact between the at least one piston and a

wall of the borehole, and

measuring a formation property using the at least one sensor.

12. (original): The method of claim 11, wherein the deploying comprises exerting a force on the back side of the at least one piston by a spring.

Appl. No. 10/605,200
Response dated 09/13/2005
Reply to Office action of 04/13/2005

13. (original): The method of claim 11, wherein the deploying comprises using a hydraulic pressure of a drilling fluid.
14. (original): The method of claim 11, the measuring was performed while drilling.
15. (original): The method of claim 11, wherein the at least one sensor is selected from a temperature sensor, a pressure sensor, a resistivity sensor, an inductive imager, a density sensor, a neutron sensor, a sonic sensor, a nuclear magnetic resonance sensor, a dipmeter, and a seismic sensor.